



YOU WILL NEED:

Pegboard:

Large square

Other:

Iron
Ironing paper
Tweezers
Magnets
Glue gun

Bead Colors:


● Raspberry - 12	● Green - 34
● Red - 47	● Dark Green - 68
● Rust - 7	● Evergreen - 5
● Cranapple - 74	● Tan - 101
● Butterscotch - 229	● Light Brown - 192
● Orange - 38	● Brown - 84
● Crème - 85	● Light Grey - 174
● Pastel Yellow - 13	● Grey - 107
● Yellow - 35	● White - 309

Use these food magnets on the refrigerator to indicate what's left of the Thanksgiving Feast!


Corn on the Cob • Turkey • Biscuits

Instructions

1. If you are using a clear pegboard, slide the actual-size pattern underneath it. Place your beads on the pegboards as shown.
2. Ask an adult to fuse your designs—see page 4 for further instructions.
3. Assembly: Glue a magnet to the back of each piece.




Cranberry Sauce • Stuffing • Vegetables



Bead Colors:

- | | |
|--|---|
|  Raspberry |  Tan |
|  Red |  Light Brown |
|  Cranapple |  Brown |
|  Butterscotch |  Light Grey |
|  Orange |  Grey |
|  Green |  White |
|  Dark Green | |


Drumstick • Mashed Potatoes • Gravy



Bead Colors:

-  Crème
-  Pastel Yellow
-  Tan
-  Light Brown
-  Brown
-  Light Grey
-  Grey
-  White

Pumpkin Pie • Cherry Pie



Fusing Instructions—Only Adults Iron



1. Place your pegboard on a flat, heat-safe surface.
2. Set a household iron to the medium setting. Place ironing paper over the pegboard. In a circular motion, begin to iron the project. Do not press down with the iron. As the beads begin to fuse, you will see circles of the beads start to show through the paper. When ironed properly, the beads will still have an open center. Let the design cool.
3. Remove the paper and bead design from the peg board. Flip the design over to expose the non-fused side. Repeat step two. Let cool completely. Your pegboard and ironing paper are reusable.

NOTE: Beads need heat for about 10-20 seconds per side to fuse evenly. Lift the paper occasionally to see how the beads are fusing. Depending on the size of the project, additional heating time may be required.